

## Cameo Easy Aran Cable Unisex Pullover - version 2

Designed and Knit by Dawn Leeseman for Crystal Palace Yarns  
This sweater is a perfect "first cable" sweater project - one cable style, seed stitch, St st and Rev St st.

**Finished Measurements:** (After Seaming)

**Bust/Chest:** 34.50 (36) (38.75) (41) (43.25) (47.50) (52.50) (54.75)"

**Length to underarm: Women:** 13.5 (14) (14) (14.5) (14.5) (15) (15) (15)"

**Men:** 15.5 (15.5) (15.5) (16) (16.5) (16.5) (16.5) (17)"

**Crystal Palace Bamboo Needles** or **Daisy Needles:**

Sizes US 10-1/2 (6.5mm) and US 10-3/4 (7mm) straight or circular; Size 10 (6mm) 16 or 24" circular (the first 3 sizes use 16", remaining sizes can use 16 or 24") OR Size to obtain gauge  
Cable needle

2 stitch holders

**[Note: both CPY Bamboo Needles and DAISY Needles come in size 10-3/4 (7mm). ]**

**Tip:** Before beginning to knit this sweater, highlight the size you are following throughout the pattern to make it easier to follow.

**Materials:**

**Crystal Palace CAMEO**, col. #0215 'rose dust' 12 (13) (14) (16) (17) (18) (20) (22) 50 gr balls; ADD 1 ball for men's sizes due to increased length.

*Cameo is 80% merino wool/ 20% nylon*

**Gauge:**

14 sts = 4 inches, and 20 rows = 4 inches, using size 10-3/4 needle over St st

18 sts = 4 inches, using 10-3/4 needle over 28 Center Cable Panel sts

Be sure to make a gauge swatch before beginning project.

**Abbreviations:**

Beg-beginning; BO-bind off; C6B-cable 6 back; C6F-cable 6 front; CO-cast on; Dec-decrease; inc-increase; Incl-Increase left slant; IncR-Increase right slant; K- knit; K2tog- knit 2 stitches together; pm-place marker; St st-Stockinette stitch rem-remain(ing);

C6B: Slip next 3 stitches to Cable Needle, hold these stitches to the back, knit next 3 stitches on left needle, then knit the 3 stitches from the Cable Needle

C6F: Slip next 3 stitches to Cable Needle, hold these stitches to the front, knit next 3 stitches on left needle, then knit the 3 stitches from the Cable Needle

Incl: Use left needle to pick up the top of the st below the stitch just knit. Lift stitch onto the left needle and knit it.

IncR: Use the right needle to pick up the top of the stitch below the stitch on the left needle. Lift it onto the left needle, knit it, and then knit the original stitch.

SSK: Slip 2 stitches, one at a time as if to knit, place tip of left needle through the front of these 2 stitches, knit together.



Below is a close detail of the cable neckline.



**Back:**

Using size 10-1/2 needles, CO 69 (73) (77) (81) (85) (93) (101) (105) sts. Work in Welt pattern as follows:

**Row 1:** Knit

**Row 2:** Purl

**Row 3:** Purl

**Row 4:** Knit

Repeat these 4 rows 1 time. Repeat Rows 1,2 & 3 once again. A total of 11 rows have been worked.

Change to size 10-3/4 needles, begin pattern as follows:

**Row 1:** K22 (24) (26) (28) (32) (36) (38) (40), p2, k6, p2, k1, p1, k1, p1, k1, p2, k6, p2, k22 (24) (26) (28) (32) (36) (38) (40).

**Row 2:** P22 (24) (26) (28) (32) (36) (38) (40), k2, p6, k3, p1, k1, p1, k3 p6, k2, p22 (24) (26) (28) (32) (36) (38) (40).

**Cable Row 3:** K22 (24) (26) (28) (32) (36) (38) (40), p2, C6F, p2, k1, p1, k1, p1, k1, p2, C6B, p2, k22 (24) (26) (28) (32) (36) (38) (40).

**Row 4:** Work as row 2

**Row 5:** Work as row 1

**Row 6:** Work as row 2

**Row 7:** Work as row 1

**Row 8:** Work as row 2

Repeat these 8 rows until piece measures:

**Women's Sizes:** 13.5 (14) (14) (14.5) (14.5) (15) (15) (15)"

**Men's Sizes:** 15.5 (15.5) (15.5) (16) (16) (16.5) (16.5) (17)"

or desired length to underarm, from CO edge, end after working WS row.

*NOTE:* When measuring length, measure in the middle of the St st section on either side of the cable panel.

**Armhole Shaping:**

BO3 (3) (4) (4) (4) (4) (5) (5) at beg next 2 rows. 63 (67) (69) (73) (77) (85) (91) (95) sts.

Continue to work pattern rows as established decreasing 1 st at each armhole edge as follows:

Dec Row: K1, ssk, pattern to last 3 sts, k2tog, k1. Work Dec row every other row for a total of 3

(3) (4) (4) (4) (6) (7) (7) times. 57 (61) (61) (60) (65) (69) (73) (77) (81) sts. Work in pattern as established until armhole measures 8 (8.5) (9) (9.5) (10) (10.5) (11) (11.5)" end after working WS row.

**Shape Neck and shoulder shaping:**

Neck and shoulder shaping occur at the same time.

*For Sizes 34.5 (36) (38.75) (41) (43.25) (47.5):*

Working both sides at same time, join 2nd ball after placing neck sts on holder; BO 8 (9) (9) (9) (10) (11) sts at armhole edge at the beginning of next 2 rows, place 25 (25) (27) (27) (29) (29) sts to holder for neck;

AT THE SAME TIME Decrease 1 st at each neck edge once.

BO7 (8) (8) (9) (9) (10) sts at armhole edge at the beginning of next 2 rows.

*For Size 52.5 (54.75):*

Work both sides at the same time, join 2nd ball after placing neck sts on holder; BO7 (8) at armhole edge at the beginning of next 4 rows, slip next 31 sts to holder,

AT THE SAME TIME decrease 1 st at each neck edge once. BO remaining 8 sts at armhole at the beginning of next 2 rows.

**Front:**

Work same as for the back until piece measures 5 (5) (5.5) (5.5) (6) (6) (6) (6.5)" above armhole BO. End after working WS row 4,6 or 8.

Working both sides at the same time, work across 21 (23) (23) (25) (27) (28) (30) (32) sts, slip center 15 (15) (15) (15) (15) (17) (17) (17) sts to holder, join a 2nd ball, work across rem 21 (23) (23) (25) (27) (28) (30) (32) sts.

Working both sides at the same time work 1 row even.

**Shape Neck:**

*Note:* You will discontinue cable but will keep sts in pattern until decreased and worked into Stockinette stitch.

**Decrease Row:** 1st side; work to last 3 sts, k2tog, k1; 2nd side; k1, ssk, work across rem sts. Work Decrease row every RS row for a total of 6 (6) (6) (6) (7) (7) (7) (7) times 15 (17) (17) (18) (19) (21) (22) (24) sts rem on each side. Work even until armhole measures same as for back, end after working WS row. Begin shoulder shaping.

**Shape Shoulders:**

*For Sizes 34.5 (36) (38.75) (41) (43.25) (47.5):*

Working both sides at same time, BO 8 (9) (9) (9) (10) (11) sts at armhole edge at the beginning of next 2 rows, BO7 (8) (8) (9) (9) (10) sts at armhole edge at the beginning of next 2 rows.

*For Size 52.5 (54.75):*

Work both sides at the same time, BO7 (8) at armhole edge at the beginning of next 4 rows. BO remaining 8 sts at armhole at the beginning of next 2 rows.

**Sleeves: (Make 2)**

Using size 10-½ needles CO35 (35) (35) (39) (39) (39) (43) (43) sts. Work in rib as follows

**Row 1:** Knit

**Row 2:** Purl

**Row 3:** Purl

**Row 4:** Knit

Repeat these 4 rows once more.

Repeat row 1, 2 & 3, once again. A total of 11 rows have been worked.

**Sleeve Body:** Change to 10-¾ needle and begin pattern as follows:

**Row 1:** K5 (5) (5) (7) (7) (7) (9) (9), p2, k6, p2, k1, p1, k1, p1, k1, p2, k6, p2, 5 (5) (5) (7) (7) (7) (9) (9).

**Row 2:** P5 (5) (5) (7) (7) (7) (9) (9), k2, p6, k3, p1, k1, p1, k3, p6, k2, p5 (5) (5) (7) (7) (7) (9) (9).

**Row 3:** K5 (5) (5) (7) (7) (7) (9) (9), p2, C6F, p2, k1, p1, k1, p1, k1, p2, C6B, p2, k5 (5) (5) (7) (7) (7) (9) (9).

**Row 4:** Rep row 2

**Row 5:** Rep Row 1

**Row 6:** Rep Row 2

**Row 7:** Rep Row 1

**Row 8:** Rep Row 2

Work 8 rows in pattern stitch. Begin sleeve increase, Inc Row: K1, IncL, pattern to last 2 sts, IncR, k1; rep increase row every 10 rows 5 (5) (4) (6) (5) (4) (6) (5) times more; then every 6 rows 2 (3) (5) (2) (4) (6) (3) (5) times, working the increased sts into pattern as established. 51 (53) (55) (57) (59) (61) (63) (65) sts, end after working RS row.

Work even in patt, as established until piece measures 16.5 (17) (17.5) (18) (18.5) (18.5) (19) (19.5)" or desired length from CO edge, measure in the St st section on either side of the cable panel; end after working WS row.

**Sleeve Cap Shaping:**

BO3 (3) (4) (4) (4) (4) (5) (5) at the beginning of the next 2 rows.

Decrease 1 st at each end as follows, k1, ssk, pattern across row to last 3 sts, k2tog, k1; rep decrease row every row 4; 3 (3) (4) (4) (4) (4) (5) (5) other row (10) (10) (9) (10) (10) (11) (10) (11) times. Work all decreased sts into pattern as established. 17 (19) (19) (19) (19) (21) (21) (21) sts remain. BO all rem sts.

**Finishing:**

Sew shoulder seams. Work Neck trim. Sew sleeves into armholes; sew sleeve and underarm seams. Work in all ends.

**Neck Trim:**

Using size 10 circular needles, RS facing, beginning at left shoulder, PU 12 (14) (14) (16) (16) (18) (19) (19) sts along left neck edge, 15 (15) (15) (15) (15) (17) (17) (17) sts from stitch holder, PU 12 (14) (14) (16) (16) (18) (19) (19) sts along right neck edge; PU 3 (3) (3) (3) (3) (3) (5) (5) sts along right back neck edge;

Decrease 4 sts evenly while picking up 25 (25) (27) (27) (29) (29) (31) (31) sts from stitch holder; P 3 (3) (3) (3) (3) (3) (5) (5) sts along left back neck edge. 66 (70) (72) (76) (78) (84) (92) (92) sts.

**Work Welt trim as follows:**

**Rnd 1 & 2:** Purl

**Rnd 3 & 4:** Knit

**Rnd 5 & 6:** Purl

**Rnd 7 & 8:** Knit

**Rnd 9 & 10:** Purl

BO loosely in knit.

**Designed and Knit by Dawn Leeseman for Crystal Palace Yarns**

**This pattern is found on the Crystal Palace Web site in the FREE Patterns section - visit [www.straw.com](http://www.straw.com) to see our yarns and free patterns.**

*copyright 2006 Crystal Palace Yarns/Straw Into Gold, Inc. - We are happy to share this pattern with knitters. The pattern may be used for non-commercial personal or knitting guild use. It is not to be used in any publication in print nor should it be reproduced in electronic/digital format without permission. Knitting Shops carrying Crystal Palace Yarns CAMEO are welcome to use this free pattern for their customers.*



**Crystal Palace Yarns - Straw into Gold, Inc.**

160 23<sup>rd</sup> Street, Richmond, CA 94804

phone: 510-237-9988 fax: 510-237-9809 web: [www.straw.com](http://www.straw.com)